

DUOpan™

PULLET/BREEDER FEEDING SYSTEM

FEATURING
DEPENDABLE
CHAIN CONVEYANCE



Big Dutchman®

Big Dutchman's Duopan system provides more uniform flocks and simultaneous feeding.

Introducing Big Dutchman's Duopan Pullet/Breeder Feeding System.

The Duopan system creates more uniform flocks

The Duopan system helps create uniform flocks by distributing more feed quickly and evenly to all pans on the line. In fact, **Duopan's feeding system carries higher volumes of feed around the circuit than any auger/pan system.**

All birds have enough feed simultaneously, preventing migration and keeping birds calm.

Big Dutchman's unique 14" (356 mm) diameter pans feature 16 grille openings, providing **more feeding space than standard 13" pan systems.** Because each pan is larger, fewer pans are needed to feed the same number of birds. With fewer pans, there's **more space between pans**, allowing birds to access each pan from all directions.



Duopan's proven chain conveyance system delivers feed at an average rate of 27 meters per minute—and as fast as 36 meters per minute



Rugged 14" (356 mm) plastic pans offer more feeding space than standard 13" pan systems

The Duopan system stays charged

Because the trough is designed for larger feed capacity—and because there are fewer pans to fill—the **chain conveyance system remains full between feedings.**

The Duopan system is adaptable

The Big Dutchman Duopan system changes as your flock grows.


When chicks reach 20 weeks, the snap-on restrictor grille can be used to keep roosters out of hens' pans, allowing for greater control over flock uniformity.

Easy to clean


The unique pan hinge and release tabs allow pans to swing down easily for cleaning.

Greater control of each pan

Each Duopan features a **feed, flood, and shut-off adjustment** for maximum control over every pan on the line. The flood setting provides day-olds with access to feed, while the shut-off setting is especially useful in partial house brooding.



Unique to Big Dutchman's Duopan system, troughs feature two additional holes for faster filling, which prevents bird migration



The entire Duopan trough can be raised as breeders grow, for easier access to feed

Openings can be set at 65 mm, 75 mm, or 84 mm high, using clip-out tabs

Snap-on restrictor grilles feature seven adjustments, from 41.25 mm to 50 mm, for graduated restricted feeding





Big Dutchman®

P.O. Box 1017 · Holland, Michigan 49422-1017 · USA
telephone (616) 392-5981 · fax (616) 392-6188
www.bigdutchmanusa.com · bigd@bigdutchmanusa.com